This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.
As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.



FIG. 1


Shadowing
Distance attenuation
Multipath

FIG. 2


Slot
Pilot
Data
Pilot
Data
Np Symbols
Np Symbols


Coded data symbols
Pilot symbols
MUX
Spreading and modulation


Correlator bank
DEMUX
Detection and RAKE combiner
Channel decoding

FIG. 3



FIG. 4

Channel Bit Rate (kbps)	Channel Symbol Rate (ksps)	SF	Bits/ Frame	Bits/ Slot	N_{pilot}	N_{TPC}	N_{TFCI}	N_{FBI}
16	16	256	160	10	6	2	2	0
16	16	256	160	10	8	2	0	0
16	16	256	160	10	5	2	2	1
16	16	256	160	10	7	2	0	1
16	16	256	160	10	[6]	[2]	[0]	[2]
16	16	256	160	10	[5]	[1]	[2]	[2]

FIG. 5

	N_{pilot} = 6						N_{pilot} = 8							
Bit #	0	1	2	3	4	5	0	1	2	3	4	5	6	7
Slot #1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	1	1	1	1	0	1	1	1	1	1	1	0	1	1
3	1	0	1	1	0	1	1	0	1	1	1	0	1	1
4	1	1	0	1	0	1	1	1	1	0	1	0	1	1
5	1	1	0	1	1	1	1	1	1	0	1	1	1	1
6	1	1	0	1	1	1	1	1	1	0	1	1	1	1
7	1	0	1	1	0	0	1	0	1	1	1	0	1	0
8	1	1	0	1	0	1	1	1	1	0	1	0	1	1
9	1	1	1	1	0	0	1	1	1	1	1	0	1	0
10	1	0	1	1	0	1	1	0	1	1	1	0	1	1
11	1	1	1	1	1	0	1	1	1	1	1	1	1	0
12	1	0	1	1	0	1	1	0	1	1	1	0	1	1
13	1	0	0	1	0	1	1	0	1	0	1	0	1	1
14	1	1	0	1	0	0	1	1	1	0	1	0	1	0
15	1	0	1	1	0	0	1	0	1	1	1	0	1	0
16	1	0	0	1	0	0	1	0	1	0	1	0	1	0

FIG. 6



FIG. 7



FIG. 8

Symbol rate	8ksps		16,32,64,128ksps				256,512,1024ksps							
Symbol #	0	1	0	1	2	3	0	1	2	3	4	5	6	7
Slot # 1	11	11	11	11	11	11	11	11	11	11	11	11	11	10
2	11	11	11	11	11	01	11	10	11	10	11	10	11	01
3	11	10	11	01	11	01	11	10	11	01	11	11	11	01
4	11	01	11	10	11	01	11	11	11	01	11	00	11	10
5	11	10	11	10	11	11	11	11	11	00	11	01	11	10
6	11	10	11	10	11	11	11	11	11	11	11	01	11	10
7	11	01	11	01	11	00	11	10	11	11	11	01	11	10
8	11	00	11	10	11	01	11	01	11	00	11	10	11	00
9	11	00	11	11	11	00	11	11	11	10	11	00	11	01
10	11	10	11	01	11	01	11	01	11	11	11	11	11	00
11	11	10	11	11	11	10	11	10	11	10	11	11	11	10
12	11	11	11	01	11	01	11	01	11	10	11	10	11	00
13	11	10	11	00	11	01	11	10	11	01	11	11	11	10
14	11	11	11	10	11	00	11	00	11	10	11	10	11	00
15	11	00	11	01	11	00	11	01	11	10	11	00	11	00
16	11	00	11	00	11	00	11	10	11	00	11	00	11	00

FIG. 9

FIG. 10


DPCH/
CCPCH
serial-
to-
parallel
conversion
(S->P)
I
Q
C_{ch}
*j
I+jQ
C_{scramb}
Real
Imag
P(t)
P(t)
cos(ωt)
sin(ωt)



FIG. 11A



FIG. 11B

Frame Synchronization Words
Slot Number 1 2 3 4 5 L
C_1 = (1 1 0 1 1 1 1 1 0 0 1 0 0 0 0 0)
C_2 = (1 0 0 0 1 0 1 0 0 1 1 1 0 1 0 1)
C_3 = (1 1 0 1 1 1 0 0 0 0 1 0 0 0 1 1)
C_4 = (0 1 1 1 0 1 1 0 1 0 0 0 1 0 0 1)
C_5 = (1 0 1 1 0 0 0 0 0 1 0 0 1 1 1 1)
C_6 = (1 1 1 0 0 1 0 1 0 0 0 1 1 0 1 0)
C_7 = (0 1 0 0 0 0 1 1 1 0 1 1 1 1 0 0)
C_8 = (1 1 1 0 1 0 0 1 0 0 0 1 0 1 1 0)

FIG. 12A

$R(\tau)$ τ	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
$R_E(\tau)$	16	4	0	4	0	-4	0	-4	-16	-4	0	-4	0	4	0	4
$R_F(\tau)$	16	-4	0	-4	0	4	0	4	-16	4	0	4	0	-4	0	-4
$R_G(\tau)$	16	4	0	-4	0	4	0	-4	-16	-4	0	4	0	-4	0	4
$R_H(\tau)$	16	-4	0	4	0	-4	0	4	-16	4	0	-4	0	4	0	-4

R_1 R_2

FIG. 12B

$(R_E(\tau) + R_F(\tau))$, or $(R_G(\tau) + R_H(\tau))$



$R_E(\tau) + R_F(\tau) + R_G(\tau) + R_H(\tau)$



FIG. 13B

FIG. 14A

	$N_{pilot2} = 5$					$N_{pilot2} = 6$					
Bit #	0	1	2	3	4	0	1	2	3	4	5
Slot #1	1	1	1	1	0	1	1	1	1	1	0
2	1	0	1	1	1	1	1	0	1	1	1
3	0	0	1	0	1	1	0	0	1	0	1
4	1	0	1	1	1	1	1	0	1	1	1
5	1	1	1	1	0	1	1	1	1	1	0
6	1	0	1	1	1	1	1	0	1	1	1
7	1	1	1	0	1	1	1	1	1	0	1
8	1	0	1	0	0	1	1	0	1	0	0
9	0	0	1	0	1	1	0	0	1	0	1
10	0	1	1	0	0	1	0	1	1	0	0
11	1	1	1	1	0	1	1	1	1	1	0
12	0	1	1	0	0	1	0	1	1	0	0
13	0	0	1	0	1	1	0	0	1	0	1
14	0	1	1	0	0	1	0	1	1	0	0
15	0	0	1	1	0	1	0	0	1	1	0
16	0	1	1	1	1	1	0	1	1	1	1

FIG. 14B

	$N_{pilot2} = 7$							$N_{pilot2} = 8$							
Bit #	0	1	2	3	4	5	6	0	1	2	3	4	5	6	7
Slot #1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	0
2	1	1	0	1	1	1	1	1	1	1	0	1	1	1	1
3	1	0	0	1	0	1	1	1	0	1	0	1	0	1	1
4	1	1	0	1	1	1	1	1	1	1	0	1	1	1	1
5	1	1	1	1	1	0	1	1	1	1	1	1	1	1	0
6	1	1	0	1	1	1	1	1	1	1	0	1	1	1	1
7	1	1	1	1	0	1	1	1	1	1	1	1	0	1	1
8	1	1	0	1	0	0	1	1	1	1	0	1	0	1	0
9	1	0	0	1	0	1	1	1	0	1	0	1	0	1	1
10	1	0	1	1	0	0	1	1	0	1	1	1	0	1	0
11	1	1	1	1	1	0	1	1	1	1	1	1	1	1	0
12	1	0	1	1	0	0	1	1	0	1	1	1	0	1	0
13	1	0	0	1	0	1	1	1	0	1	0	1	0	1	1
14	1	0	1	1	0	0	1	1	0	1	1	1	0	1	0
15	1	0	0	1	1	0	1	1	0	1	0	1	1	1	0
16	1	0	1	1	1	1	1	1	0	1	1	1	1	1	1

N_{pilot}	Pilot bit position #	Corresponding word of length 16
5	0	C_1
	1	C_2
	3	C_3
	4	C_4
6	1	C_1
	2	C_2
	4	C_3
	5	C_4
7	1	C_1
	2	C_2
	4	C_3
	5	C_4
8	1	C_1
	3	C_2
	5	C_3
	7	C_4

FIG. 14C

FIG. 14D


31
C1
41
R(0)
R(1)
R(X)
R(15)
51
Correlation Result A1
32
C2
42
R(0)
R(1)
R(X)
R(15)
52
Correlation Result A2
33
C3
43
R(0)
R(1)
R(X)
R(15)
53
Correlation Result A3
34
C4
44
R(0)
R(1)
R(X)
R(15)
54
Correlation Result A4
A1
A2
A3
A4
A
B

	R_x (0)	R_x (1)	R_x (2)	R_x (3)	R_x (4)	R_x (5)	R_x (6)	R_x (7)	R_x (8)	R_x (9)	R_x (10)	R_x (11)	R_x (12)	R_x (13)	R_x (14)	R_x (15)
A_1 POINT	16	4	0	4	0	-4	0	-4	-16	-4	0	-4	0	4	0	4
A_2 POINT	16	-4	0	-4	0	4	0	4	-16	4	0	4	0	-4	0	-4
A_3 POINT	16	4	0	4	0	-4	0	-4	-16	-4	0	-4	0	4	0	4
A_4 POINT	16	-4	0	-4	0	4	0	4	-16	4	0	4	0	-4	0	-4
B POINT	64	0	0	0	0	0	0	0	-64	0	0	0	0	0	0	0

FIG. 14E

	R_x (0)	R_x (1)	R_x (2)	R_x (3)	R_x (4)	R_x (5)	R_x (6)	R_x (7)	R_x (8)	R_x (9)	R_x (10)	R_x (11)	R_x (12)	R_x (13)	R_x (14)	R_x (15)
A_1 POINT $+A_2$ POINT	32	0	0	0	0	0	0	0	-32	0	0	0	0	0	0	0
A_3 POINT $+A_4$ POINT	32	0	0	0	0	0	0	0	-32	0	0	0	0	0	0	0
A_1 POINT $+A_4$ POINT	32	0	0	0	0	0	0	0	-32	0	0	0	0	0	0	0
A_2 POINT + A_3 POINT	32	0	0	0	0	0	0	0	-32	0	0	0	0	0	0	0

FIG. 14F



FIG. 14G



FIG. 14H

FIG. 14I

	R_x (0)	R_x (1)	R_x (2)	R_x (3)	R_x (4)	R_x (5)	R_x (6)	R_x (7)	R_x (8)	R_x (9)	R_x (10)	R_x (11)	R_x (12)	R_x (13)	R_x (14)	R_x (15)
A_1 POINT	16	-4	-4	8	0	-4	0	0	-4	0	0	-4	0	8	-4	-4
A_2 POINT	16	0	0	-4	-4	-4	0	0	12	0	0	-4	-4	-4	0	0
A_3 POINT	16	4	0	0	4	8	8	0	0	0	8	8	4	0	0	4
A_4 POINT	16	0	4	-4	0	0	-4	4	0	4	-4	0	0	-4	4	0
B POINT	64	0	0	0	0	0	4	4	8	4	4	0	0	0	0	0



FIG. 14J

	N_{pilot} = 4		N_{pilot} = 8				N_{pilot} = 16							
Symbol #	0	1	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	11	11	11	11	11	10	11	11	11	10	11	11	11	01
2	11	10	11	10	11	11	11	10	11	11	11	01	11	11
3	11	00	11	00	11	01	11	00	11	01	11	11	11	01
4	11	10	11	10	11	11	11	10	11	11	11	10	11	00
5	11	11	11	11	11	10	11	11	11	10	11	00	11	01
6	11	10	11	10	11	11	11	10	11	11	11	01	11	00
7	11	11	11	11	11	01	11	11	11	01	11	00	11	10
8	11	10	11	10	11	00	11	10	11	00	11	01	11	11
9	11	00	11	00	11	01	11	00	11	01	11	00	11	10
10	11	01	11	01	11	00	11	01	11	00	11	10	11	00
11	11	11	11	11	11	10	11	11	11	10	11	00	11	10
12	11	01	11	01	11	00	11	01	11	00	11	01	11	11
13	11	00	11	00	11	01	11	00	11	01	11	11	11	10
14	11	01	11	01	11	00	11	01	11	00	11	10	11	11
15	11	00	11	00	11	10	11	00	11	10	11	11	11	01
16	11	01	11	01	11	11	11	01	11	11	11	10	11	00

FIG. 15A

Symbol rate	Symbol #	Channel	Corresponding Word of length L=16
N_{pilot} = 4	1	I-CH	C_1
		Q-CH	C_2
N_{pilot} = 8	1	I-CH	C_1
		Q-CH	C_2
	3	I-CH	C_3
		Q-CH	C_4
N_{pilot} = 16	1	I-CH	C_1
		Q-CH	C_2
	3	I-CH	C_3
		Q-CH	C_4
	5	I-CH	C_5
		Q-CH	C_6
	7	I-CH	C_7
		Q-CH	C_8

FIG. 15B

FIG 15C


C1 of I-CH at Symbol #1
R(0)
R(1)
R(X)
R(15)
Correlation Result A1
C2 of Q-CH at Symbol #1
R(0)
R(1)
R(X)
R(15)
Correlation Result A2
C3 of I-CH at Symbol #3
R(0)
R(1)
R(X)
R(15)
Correlation Result A3
C4 of Q-CH at Symbol #3
R(0)
R(1)
R(X)
R(15)
Correlation Result A4
A1
A2
A3
A4
A
B

Symbol #	0	1	2	3
Slot #1	11	11	11	10
2	11	10	11	11
3	11	00	11	01
4	11	10	11	11
5	11	11	11	10
6	11	10	11	11
7	11	11	11	01
8	11	10	11	00
9	11	00	11	01
10	11	01	11	00
11	11	11	11	10
12	11	01	11	00
13	11	00	11	01
14	11	01	11	00
15	11	00	11	10
16	11	01	11	11

FIG. 16A

Symbol #	Channel	Corresponding word of length 16
1	I-CH	C_1
	Q-CH	C_2
3	I-CH	C_3
	Q-CH	C_4

FIG. 16B

	$N_{pilot} = 8$				$N_{pilot} = 16$							
Symbol #	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	11	11	11	10	11	11	11	10	11	11	11	01
2	11	10	11	11	11	10	11	11	11	01	11	11
3	11	00	11	01	11	00	11	01	11	11	11	01
4	11	10	11	11	11	10	11	11	11	10	11	00
5	11	11	11	10	11	11	11	10	11	00	11	01
6	11	10	11	11	11	10	11	11	11	01	11	00
7	11	11	11	01	11	11	11	01	11	00	11	10
8	11	10	11	00	11	10	11	00	11	01	11	11
9	11	00	11	01	11	00	11	01	11	00	11	10
10	11	01	11	00	11	01	11	00	11	10	11	00
11	11	11	11	10	11	11	11	10	11	00	11	10
12	11	01	11	00	11	01	11	00	11	01	11	11
13	11	00	11	01	11	00	11	01	11	11	11	10
14	11	01	11	00	11	01	11	00	11	10	11	11
15	11	00	11	10	11	00	11	10	11	11	11	01
16	11	01	11	11	11	01	11	11	11	10	11	00

FIG. 16C

Symbol rate	Symbol #	Channel	Corresponding word of length 16
$N_{pilot} = 8$	1	I-CH	C_1
		Q-CH	C_2
	3	I-CH	C_3
		Q-CH	C_4
$N_{pilot} = 16$	1	I-CH	C_1
		Q-CH	C_2
	3	I-CH	C_3
		Q-CH	C_4
	5	I-CH	C_5
		Q-CH	C_6
	7	I-CH	C_7
		Q-CH	C_8

FIG. 16D

FIG. 17A



FIG 17B



FIG. 17C



Parameters	Downlink
Slot per frame	16
Number of bits in the DPCCH (Pilot/TPC/TFCI)	4/2/0
Number of bits in the DPDCH per each slot	4
Spreding factor (DPDCH)	512
Spreding factor (DPCCH)	512
Modulation	QPSK
3dB bandwidth	4.096MHz
Shaping filter	Root raised cosine (roll off 0.22)
Power amplifier	Ideal
Propogation channel	AWGN

FIG. 18A

FIG. 18B



FIG. 18C



FIG. 18D


Prob. of frame sync. confirm. success
1.00
0.98
0.96
0.94
0.92
0.90
0.88
0.86
0.84
0.82
0.80
-4
-2
0
2
4
Eb/No (dB)
AWGN
Downlink DPCCH
N_{pilot} = 4 and SF = 512
Threshold = 25
Preferred Embodiment
Current pilot pattern

	N_{pilot} = 4		N_{pilot} = 8				N_{pilot} = 16							
Symbol #	0	1	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	01	10	11	00	00	10	11	00	00	10	11	11	00	10
2	00	10	11	01	00	11	11	01	00	11	11	01	00	00
3	10	10	11	11	00	01	11	11	00	01	11	11	00	10
4	00	10	11	01	00	11	11	01	00	11	11	10	00	11
5	01	10	11	00	00	10	11	00	00	10	11	11	00	01
6	00	10	11	01	00	11	11	01	00	11	11	10	00	00
7	01	10	11	11	00	10	11	11	00	10	11	00	00	01
8	00	10	11	10	00	11	11	10	00	11	11	01	00	00
9	10	10	11	11	00	01	11	11	00	01	11	00	00	01
10	11	10	11	10	00	00	11	10	00	00	11	10	00	11
11	01	10	11	00	00	10	11	00	00	10	11	00	00	01
12	11	10	11	10	00	00	11	10	00	00	11	01	00	00
13	10	10	11	11	00	01	11	11	00	01	11	00	00	10
14	11	10	11	10	00	00	11	10	00	00	11	01	00	11
15	10	10	11	00	00	01	11	00	00	01	11	11	00	10
16	11	10	11	01	00	00	11	01	00	00	11	10	00	11

FIG. 19A

Symbol rate	Symbol #	Channel	Corresponding Word of length 16
N_{pilot} = 4	0	I-CH	$-C_1$
		Q-CH	C_2
N_{pilot} = 8	1	I-CH	$-C_3$
		Q-CH	C_4
	3	I-CH	C_1
		Q-CH	$-C_2$
N_{pilot} = 16	1	I-CH	$-C_3$
		Q-CH	C_4
	3	I-CH	C_1
		Q-CH	$-C_2$
	5	I-CH	$-C_7$
		Q-CH	C_8
	7	I-CH	C_5
		Q-CH	$-C_6$

FIG. 19B

Symbol #	0	1	2	3
Slot #1	11	11	00	01
2	11	10	00	00
3	11	00	00	10
4	11	10	00	00
5	11	11	00	01
6	11	10	00	00
7	11	11	00	10
8	11	10	00	11
9	11	00	00	10
10	11	01	00	11
11	11	11	00	01
12	11	01	00	11
13	11	00	00	10
14	11	01	00	11
15	11	00	00	01
16	11	01	00	00

FIG. 19C

Symbol #	Channel	Corresponding word of length 16
1	I-CH	C_1
	Q-CH	C_2
3	I-CH	$-C_3$
	Q-CH	$-C_4$

FIG. 19D

	$N_{pilot} = 8$				$N_{pilot} = 16$							
Symbol #	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	11	00	00	10	11	00	00	10	11	11	00	10
2	11	01	00	11	11	01	00	11	11	01	00	00
3	11	11	00	01	11	11	00	01	11	11	00	10
4	11	01	00	11	11	01	00	11	11	10	00	11
5	11	00	00	10	11	00	00	10	11	11	00	01
6	11	01	00	11	11	01	00	11	11	10	00	00
7	11	11	00	10	11	11	00	10	11	00	00	01
8	11	10	00	11	11	10	00	11	11	01	00	00
9	11	11	00	01	11	11	00	01	11	00	00	01
10	11	10	00	00	11	10	00	00	11	10	00	11
11	11	00	00	10	11	00	00	10	11	00	00	01
12	11	10	00	00	11	10	00	00	11	01	00	00
13	11	11	00	01	11	11	00	01	11	00	00	10
14	11	10	00	00	11	10	00	00	11	01	00	11
15	11	00	00	01	11	00	00	01	11	11	00	10
16	11	01	00	00	11	01	00	00	11	10	00	11

FIG. 19E

Symbol rate	Symbol #	Channel	Corresponding word of length 16
$N_{pilot} = 8$	1	I-CH	$-C_3$
		Q-CH	C_4
	3	I-CH	C_1
		Q-CH	$-C_2$
$N_{pilot} = 16$	1	I-CH	$-C_3$
		Q-CH	C_4
	3	I-CH	C_1
		Q-CH	$-C_2$
	5	I-CH	$-C_7$
		Q-CH	C_8
	7	I-CH	C_5
		Q-CH	$-C_6$

FIG. 19F

Sequence	Autocorrelation
C_1 = (1 1 0 1 1 1 1 1 0 0 1 0 0 0 0 0)	16 4 0 4 0 -4 0 -4 -16 -4 0 -4 0 4 0 4
C_2 = (1 0 0 0 1 0 1 0 0 1 1 1 0 1 0 1)	16 -4 0 -4 0 4 0 4 -16 4 0 4 0 -4 0 -4
C_3 = (1 1 1 1 1 0 1 1 0 0 0 0 0 1 0 0)	16 4 0 4 0 -4 0 -4 -16 -4 0 -4 0 4 0 4
C_4 = (0 1 0 1 0 0 0 1 1 0 1 0 1 1 1 0)	16 -4 0 -4 0 4 0 4 -16 4 0 4 0 -4 0 -4
C_5 = (0 0 1 1 1 0 1 1 1 1 0 0 0 1 0 0)	16 4 0 -4 0 4 0 -4 -16 -4 0 4 0 -4 0 4
C_6 = (0 0 1 0 0 1 0 1 1 1 0 1 1 0 1 0)	16 -4 0 4 0 -4 0 4 -16 4 0 -4 0 4 0 -4
C_7 = (0 1 1 1 0 0 0 0 1 0 0 0 1 1 1 1)	16 4 0 -4 0 4 0 -4 -16 -4 0 4 0 -4 0 4
C_8 = (1 0 1 1 1 0 1 0 0 1 0 0 0 1 0 1)	16 -4 0 4 0 -4 0 4 -16 4 0 -4 0 4 0 -4
C_9 = (0 0 1 1 0 1 1 1 1 1 0 0 1 0 0 0)	16 4 0 4 0 -4 0 -4 -16 -4 0 -4 0 4 0 4
C_{10} = (0 0 1 0 1 0 0 1 1 1 0 1 0 1 1 0)	16 -4 0 -4 0 4 0 4 -16 4 0 4 0 -4 0 -4
C_{11} = (1 1 0 0 0 0 0 1 0 0 1 1 1 1 1 0)	16 4 0 4 0 -4 0 -4 -16 -4 0 -4 0 4 0 4
C_{12} = (1 0 1 1 1 0 0 1 0 1 0 0 0 1 1 0)	16 -4 0 -4 0 4 0 4 -16 4 0 4 0 -4 0 -4
C_{13} = (0 1 0 0 0 0 1 1 1 0 1 1 1 1 0 0)	16 4 0 -4 0 4 0 -4 -16 -4 0 4 0 -4 0 4
C_{14} = (1 0 0 0 1 0 0 1 0 1 1 1 0 1 1 0)	16 -4 0 4 0 -4 0 4 -16 4 0 -4 0 4 0 -4
C_{15} = (0 0 0 0 1 0 0 0 1 1 1 1 0 1 1 1)	16 4 0 -4 0 4 0 -4 -16 -4 0 4 0 -4 0 4
C_{16} = (1 0 0 1 0 0 0 1 0 1 1 0 1 1 1 0)	16 -4 0 4 0 -4 0 4 -16 4 0 -4 0 4 0 -4

FIG. 20A

$R(\tau)$ τ	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
$R_E(\tau)$	16	4	0	4	0	-4	0	-4	-16	-4	0	-4	0	4	0	4
$R_F(\tau)$	16	-4	0	-4	0	4	0	4	-16	4	0	4	0	-4	0	-4
$R_G(\tau)$	16	4	0	-4	0	4	0	-4	-16	-4	0	4	0	-4	0	4
$R_H(\tau)$	16	-4	0	4	0	-4	0	4	-16	4	0	-4	0	4	0	-4

FIG. 20B

	N_{pilot} = 6						N_{pilot} = 8							
Bit #	0	1	2	3	4	5	0	1	2	3	4	5	6	7
Slot #1	1	1	1	1	1	0	1	1	1	1	1	1	1	0
2	1	1	0	1	1	1	1	1	1	0	1	1	1	1
3	1	0	0	1	1	0	1	0	1	0	1	1	1	0
4	1	1	0	1	1	1	1	1	1	0	1	1	1	1
5	1	1	1	1	1	0	1	1	1	1	1	1	1	0
6	1	1	0	1	0	0	1	1	1	0	1	0	1	0
7	1	1	1	1	1	0	1	1	1	1	1	1	1	0
8	1	1	0	1	1	1	1	1	1	0	1	1	1	1
9	1	0	0	1	0	1	1	0	1	0	1	0	1	1
10	1	0	1	1	0	0	1	0	1	1	1	0	1	0
11	1	1	1	1	0	1	1	1	1	1	1	0	1	1
12	1	0	1	1	0	0	1	0	1	1	1	0	1	0
13	1	0	0	1	0	1	1	0	1	0	1	0	1	1
14	1	0	1	1	1	1	1	0	1	1	1	1	1	1
15	1	0	0	1	0	1	1	0	1	0	1	0	1	1
16	1	0	1	1	0	0	1	0	1	1	1	0	1	0

FIG. 20C

N_{pilots}	Pilot bit position #	Corresponding word of length 16
6	1	C_1
	2	C_2
	4	C_3
	5	C_4
8	1	C_1
	3	C_2
	5	C_3
	7	C_4

FIG. 20D

Symbol rate	8ksps		16,32,64,128ksps				256,512,1024ksps							
Symbol #	0	1	0	1	2	3	0	1	2	3	4	5	6	7
Slot # 1	11	11	11	11	11	10	11	11	11	10	11	00	11	01
2	11	10	11	10	11	11	11	10	11	11	11	00	11	10
3	11	00	11	00	11	10	11	00	11	10	11	11	11	11
4	11	10	11	10	11	11	11	10	11	11	11	10	11	11
5	11	11	11	11	11	10	11	11	11	10	11	10	11	01
6	11	10	11	10	11	00	11	10	11	00	11	01	11	00
7	11	11	11	11	11	10	11	11	11	10	11	10	11	01
8	11	10	11	10	11	11	11	10	11	11	11	11	11	00
9	11	00	11	00	11	01	11	00	11	01	11	11	11	10
10	11	01	11	01	11	00	11	01	11	00	11	11	11	01
11	11	11	11	11	11	01	11	11	11	01	11	00	11	00
12	11	01	11	01	11	00	11	01	11	00	11	01	11	00
13	11	00	11	00	11	01	11	00	11	01	11	01	11	10
14	11	01	11	01	11	11	11	01	11	11	11	10	11	11
15	11	00	11	00	11	01	11	00	11	01	11	01	11	10
16	11	01	11	01	11	00	11	01	11	00	11	00	11	11

FIG. 20E

Symbol rate	2048,4096ksps															
Symbol #	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Slot # 1	11	11	11	10	11	00	11	01	11	00	11	11	11	01	11	01
2	11	10	11	11	11	00	11	10	11	00	11	10	11	10	11	00
3	11	00	11	10	11	11	11	11	11	11	11	01	11	00	11	00
4	11	10	11	11	11	10	11	11	11	10	11	01	11	00	11	01
5	11	11	11	10	11	10	11	01	11	01	11	01	11	01	11	10
6	11	10	11	00	11	01	11	00	11	10	11	00	11	00	11	00
7	11	11	11	10	11	10	11	01	11	10	11	00	11	10	11	00
8	11	10	11	11	11	11	11	00	11	11	11	11	11	11	11	01
9	11	00	11	01	11	11	11	10	11	11	11	00	11	10	11	10
10	11	01	11	00	11	11	11	01	11	11	11	01	11	01	11	11
11	11	11	11	01	11	00	11	00	11	00	11	10	11	11	11	11
12	11	01	11	00	11	01	11	00	11	01	11	10	11	11	11	10
13	11	00	11	01	11	01	11	10	11	10	11	10	11	10	11	01
14	11	01	11	11	11	10	11	11	11	01	11	11	11	11	11	11
15	11	00	11	01	11	01	11	10	11	01	11	11	11	01	11	11
16	11	01	11	00	11	00	11	11	11	00	11	00	11	00	11	10

FIG 20F

Symbol rate	Symbol #	Channel	Corresponding word : of length 16
8ksps	1	I-CH	C_1
		Q-CH	C_2
16, 32, 64, 128ksps	1	I-CH	C_1
		Q-CH	C_2
	3	I-CH	C_3
		Q-CH	C_4
256, 512, 1024ksps	1	I-CH	C_1
		Q-CH	C_2
	3	I-CH	C_3
		Q-CH	C_4
	5	I-CH	C_5
		Q-CH	C_6
	7	I-CH	C_7
		Q-CH	C_8
2048, 4096ksps	1	I-CH	C_1
		Q-CH	C_2
	3	I-CH	C_3
		Q-CH	C_4
	5	I-CH	C_5
		Q-CH	C_6
	7	I-CH	C_7
		Q-CH	C_8
	9	I-CH	C_9
		Q-CH	C_{10}
	11	I-CH	C_{11}
		Q-CH	C_{12}
	13	I-CH	C_{13}
		Q-CH	C_{14}
	15	I-CH	C_{15}
		Q-CH	C_{16}

FIG. 20G

Symbol #	0	1	2	3
Slot #1	11	11	11	10
2	11	10	11	11
3	11	00	11	10
4	11	10	11	11
5	11	11	11	10
6	11	10	11	00
7	11	11	11	10
8	11	10	11	11
9	11	00	11	01
10	11	01	11	00
11	11	11	11	01
12	11	01	11	00
13	11	00	11	01
14	11	01	11	11
15	11	00	11	01
16	11	01	11	00

FIG. 20H

Symbol #	Channel	Corresponding word of length 16
1	I-CH	C_1
	Q-CH	C_2
3	I-CH	C_3
	Q-CH	C_4

FIG. 20I

Frame Synchronization Words	
L=15, Slot No.	1 2 3 4.....15
C_1 = (1 0 0 0 1 1 1 1 0 1 0 1 1 0 0)	
C_2 = (1 0 1 0 0 1 1 0 1 1 1 0 0 0 0)	
C_3 = (1 1 0 0 0 1 0 0 1 1 0 1 0 1 1)	
C_4 = (0 0 1 0 1 0 0 0 0 1 1 1 0 1 1)	
C_5 = (1 1 1 0 1 0 1 1 0 0 1 0 0 0 1)	
C_6 = (1 1 0 1 1 1 0 0 0 0 1 0 1 0 0)	
C_7 = (1 0 0 1 1 0 1 0 1 1 1 1 0 0 0)	
C_8 = (0 0 0 0 1 1 1 0 1 1 0 0 1 0 1)	

FIG. 21

FIG. 22A



FIG. 22B



$R_1(\tau)+R_2(\tau)+R_3(\tau)+R_4(\tau)$



FIG. 22C

$R_{1,2}(\tau)+R_{2,1}(\tau+1)+R_{3,4}(\tau)+R_{4,3}(\tau+1)$



FIG. 22D

	N_{pilot}=2		N_{pilot}=3			N_{pilot}=4			
Bit #	0	1	0	1	2	0	1	2	3
Slot #1	1	1	1	1	1	1	1	1	1
2	0	0	0	1	0	1	0	1	0
3	0	1	0	1	1	1	0	1	1
4	0	0	0	1	0	1	0	1	0
5	1	0	1	1	0	1	1	1	0
6	1	1	1	1	1	1	1	1	1
7	1	1	1	1	1	1	1	1	1
8	1	0	1	1	0	1	1	1	0
9	0	1	0	1	1	1	0	1	1
10	1	1	1	1	1	1	1	1	1
11	0	1	0	1	1	1	0	1	1
12	1	0	1	1	0	1	1	1	0
13	1	0	1	1	0	1	1	1	0
14	0	0	0	1	0	1	0	1	0
15	0	0	0	1	0	1	0	1	0

FIG. 23A

N_{pilot}	Pilot bit position #	Corresponding word of length 15
2	0	C_1
	1	C_2
3	0	C_1
	2	C_2
4	1	C_1
	3	C_2

FIG. 23B

FIG. 23C

	N_{pilot}=2		N_{pilot}=3			N_{pilot}=4			
Bit #	0	1	0	1	2	0	1	2	3
Slot #1	1	1	1	1	1	1	1	1	1
2	1	0	0	1	0	1	0	1	0
3	1	1	0	1	1	1	0	1	1
4	1	0	0	1	0	1	0	1	0
5	1	0	1	1	0	1	1	1	0
6	1	1	1	1	1	1	1	1	1
7	1	1	1	1	1	1	1	1	1
8	1	0	1	1	0	1	1	1	0
9	1	1	0	1	1	1	0	1	1
10	1	1	1	1	1	1	1	1	1
11	1	1	0	1	1	1	0	1	1
12	1	0	1	1	0	1	1	1	0
13	1	0	1	1	0	1	1	1	0
14	1	0	0	1	0	1	0	1	0
15	1	0	0	1	0	1	0	1	0

N_{pilot}	Pilot bit position #	Corresponding word of length 15
2	1	C_1
3	0	C_1
	2	C_2
4	1	C_1
	3	C_2

FIG. 23D

FIG. 23E

	$N_{pilot} = 5$					$N_{pilot} = 6$					
Bit #	0	1	2	3	4	0	1	2	3	4	5
Slot #1	1	1	1	1	0	1	1	1	1	1	0
2	0	0	1	1	0	1	0	0	1	1	0
3	0	1	1	0	1	1	0	1	1	0	1
4	0	0	1	0	0	1	0	0	1	0	0
5	1	0	1	0	1	1	1	0	1	0	1
6	1	1	1	1	0	1	1	1	1	1	0
7	1	1	1	0	0	1	1	1	1	0	0
8	1	0	1	0	0	1	1	0	1	0	0
9	0	1	1	1	0	1	0	1	1	1	0
10	1	1	1	1	1	1	1	1	1	1	1
11	0	1	1	0	1	1	0	1	1	0	1
12	1	0	1	1	1	1	1	0	1	1	1
13	1	0	1	0	0	1	1	0	1	0	0
14	0	0	1	1	1	1	0	0	1	1	1
15	0	0	1	1	1	1	0	0	1	1	1

	$N_{pilot} = 7$							$N_{pilot} = 8$							
Bit #	0	1	2	3	4	5	6	0	1	2	3	4	5	6	7
Slot #1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	0
2	1	0	0	1	1	0	1	1	0	1	0	1	1	1	0
3	1	0	1	1	0	1	1	1	0	1	1	1	0	1	1
4	1	0	0	1	0	0	1	1	0	1	0	1	0	1	0
5	1	1	0	1	0	1	1	1	1	1	0	1	0	1	1
6	1	1	1	1	1	0	1	1	1	1	1	1	1	1	0
7	1	1	1	1	0	0	1	1	1	1	1	1	0	1	0
8	1	1	0	1	0	0	1	1	1	1	0	1	0	1	0
9	1	0	1	1	1	0	1	1	0	1	1	1	1	1	0
10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
11	1	0	1	1	0	1	1	1	0	1	1	1	0	1	1
12	1	1	0	1	1	1	1	1	1	1	0	1	1	1	1
13	1	1	0	1	0	0	1	1	1	1	0	1	0	1	0
14	1	0	0	1	1	1	1	1	0	1	0	1	1	1	1
15	1	0	0	1	1	1	1	1	0	1	0	1	1	1	1

FIG. 23F

N_{pilot}	Pilot bit position #	Corresponding word of length 15
5	0	C_1
	1	C_2
	3	C_3
	4	C_4
6	1	C_1
	2	C_2
	4	C_3
	5	C_4
7	1	C_1
	2	C_2
	4	C_3
	5	C_4
8	1	C_1
	3	C_2
	5	C_3
	7	C_4

FIG. 23G



FIG. 23H

FIG. 23I

Channel Bit Rate (kbps)	Channel Symbol Rate (ksps)	SF	Bits/ Frame	Bits/ Slot	N_{pilot}	N_{TFCI}
15	15	256	150	10	8	2

FIG. 23J

Bit #	0	1	2	3	4	5	6	7
Slot #1	1	1	1	1	1	1	1	0
2	1	0	1	0	1	1	1	0
3	1	0	1	1	1	0	1	1
4	1	0	1	0	1	0	1	0
5	1	1	1	0	1	0	1	1
6	1	1	1	1	1	1	1	0
7	1	1	1	1	1	0	1	0
8	1	1	1	0	1	0	1	0
9	1	0	1	1	1	1	1	0
10	1	1	1	1	1	1	1	1
11	1	0	1	1	1	0	1	1
12	1	1	1	0	1	1	1	1
13	1	1	1	0	1	0	1	0
14	1	0	1	0	1	1	1	1
15	1	0	1	0	1	1	1	1

	N_{pilot}=2	N_{pilot} = 4		N_{pilot} = 8				N_{pilot} = 16							
Symbol #	0	0	1	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	11	11	11	11	11	11	10	11	11	11	10	11	11	11	10
2	00	11	00	11	00	11	10	11	00	11	10	11	11	11	00
3	01	11	01	11	01	11	01	11	01	11	01	11	10	11	00
4	00	11	00	11	00	11	00	11	00	11	00	11	01	11	10
5	10	11	10	11	10	11	01	11	10	11	01	11	11	11	11
6	11	11	11	11	11	11	10	11	11	11	10	11	01	11	01
7	11	11	11	11	11	11	00	11	11	11	00	11	10	11	11
8	10	11	10	11	10	11	00	11	10	11	00	11	10	11	00
9	01	11	01	11	01	11	10	11	01	11	10	11	00	11	11
10	11	11	11	11	11	11	11	11	11	11	11	11	00	11	11
11	01	11	01	11	01	11	01	11	01	11	01	11	11	11	10
12	10	11	10	11	10	11	11	11	10	11	11	11	00	11	10
13	10	11	10	11	10	11	00	11	10	11	00	11	01	11	01
14	00	11	00	11	00	11	11	11	00	11	11	11	00	11	00
15	00	11	00	11	00	11	11	11	00	11	11	11	10	11	01

FIG. 24A

Symbol rate	Symbol #	Channel	Corresponding word of length 15
N_{pilot} = 2	0	I-CH	C_1
		Q-CH	C_2
N_{pilot} = 4	1	I-CH	C_1
		Q-CH	C_2
N_{pilot} = 8	1	I-CH	C_1
		Q-CH	C_2
	3	I-CH	C_3
		Q-CH	C_4
N_{pilot} = 16	1	I-CH	C_1
		Q-CH	C_2
	3	I-CH	C_3
		Q-CH	C_4
	5	I-CH	C_5
		Q-CH	C_6
	7	I-CH	C_7
		Q-CH	C_8

FIG. 24B

	N_{pilot} = 4		N_{pilot} = 8				N_{pilot} = 16							
Symbol #	0	1	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	01	10	11	00	00	10	11	00	00	10	11	00	00	10
2	10	10	11	00	00	01	11	00	00	01	11	10	00	10
3	11	10	11	11	00	00	11	11	00	00	11	10	00	11
4	10	10	11	10	00	01	11	10	00	01	11	00	00	00
5	00	10	11	11	00	11	11	11	00	11	11	01	00	10
6	01	10	11	00	00	10	11	00	00	10	11	11	00	00
7	01	10	11	10	00	10	11	10	00	10	11	01	00	11
8	00	10	11	10	00	11	11	10	00	11	11	10	00	11
9	11	10	11	00	00	00	11	00	00	00	11	01	00	01
10	01	10	11	01	00	10	11	01	00	10	11	01	00	01
11	11	10	11	11	00	00	11	11	00	00	11	00	00	10
12	00	10	11	01	00	11	11	01	00	11	11	00	00	01
13	00	10	11	10	00	11	11	10	00	11	11	11	00	00
14	10	10	11	01	00	01	11	01	00	01	11	10	00	01
15	10	10	11	01	00	01	11	01	00	01	11	11	00	11

FIG. 24C

Symbol rate	Symbol #	Channel	Corresponding word of length 15
N_{pilot} = 4	0	I-CH	$-C_1$
		Q-CH	C_2
N_{pilot} = 8	1	I-CH	$-C_3$
		Q-CH	C_4
	3	I-CH	C_1
		Q-CH	$-C_2$
N_{pilot} = 16	1	I-CH	$-C_3$
		Q-CH	C_4
	3	I-CH	C_1
		Q-CH	$-C_2$
	5	I-CH	$-C_7$
		Q-CH	C_8
	7	I-CH	C_5
		Q-CH	$-C_6$

FIG. 24D

	$N_{pilot} = 8$				$N_{pilot} = 16$							
Symbol #	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	11	11	11	10	11	11	11	10	11	11	11	10
2	11	00	11	10	11	00	11	10	11	11	11	00
3	11	01	11	01	11	01	11	01	11	10	11	00
4	11	00	11	00	11	00	11	00	11	01	11	10
5	11	10	11	01	11	10	11	01	11	11	11	11
6	11	11	11	10	11	11	11	10	11	01	11	01
7	11	11	11	00	11	11	11	00	11	10	11	11
8	11	10	11	00	11	10	11	00	11	10	11	00
9	11	01	11	10	11	01	11	10	11	00	11	11
10	11	11	11	11	11	11	11	11	11	00	11	11
11	11	01	11	01	11	01	11	01	11	11	11	10
12	11	10	11	11	11	10	11	11	11	00	11	10
13	11	10	11	00	11	10	11	00	11	01	11	01
14	11	00	11	11	11	00	11	11	11	00	11	00
15	11	00	11	11	11	00	11	11	11	10	11	01

FIG. 25A

Symbol rate	Symbol #	Channel	Corresponding word of length 15
$N_{pilot} = 8$	1	I-CH	C_1
		Q-CH	C_2
	3	I-CH	C_3
		Q-CH	C_4
$N_{pilot} = 16$	1	I-CH	C_1
		Q-CH	C_2
	3	I-CH	C_3
		Q-CH	C_4
	5	I-CH	C_5
		Q-CH	C_6
	7	I-CH	C_7
		Q-CH	C_8

FIG. 25B

	$N_{pilot} = 8$				$N_{pilot} = 16$							
Symbol #	0	1	2	3	0	1	2	3	4	5	6	7
Slot #1	11	00	00	10	11	00	00	10	11	00	00	10
2	11	00	00	01	11	00	00	01	11	10	00	10
3	11	11	00	00	11	11	00	00	11	10	00	11
4	11	10	00	01	11	10	00	01	11	00	00	00
5	11	11	00	11	11	11	00	11	11	01	00	10
6	11	00	00	10	11	00	00	10	11	11	00	00
7	11	10	00	10	11	10	00	10	11	01	00	11
8	11	10	00	11	11	10	00	11	11	10	00	11
9	11	00	00	00	11	00	00	00	11	01	00	01
10	11	01	00	10	11	01	00	10	11	01	00	01
11	11	11	00	00	11	11	00	00	11	00	00	10
12	11	01	00	11	11	01	00	11	11	00	00	01
13	11	10	00	11	11	10	00	11	11	11	00	00
14	11	01	00	01	11	01	00	01	11	10	00	01
15	11	01	00	01	11	01	00	01	11	11	00	11

FIG. 25C

Symbol rate	Symbol #	Channel	Corresponding word of length 15
$N_{pilot} = 8$	1	I-CH	$-C_3$
		Q-CH	C_4
	3	I-CH	C_1
		Q-CH	$-C_2$
$N_{pilot} = 16$	1	I-CH	$-C_3$
		Q-CH	C_4
	3	I-CH	C_1
		Q-CH	$-C_2$
	5	I-CH	$-C_7$
		Q-CH	C_8
	7	I-CH	C_5
		Q-CH	$-C_6$

FIG. 25D

Parameters	Uplink
Number of slots per frame	15
Number of bits in the DPCCH (Pilot/TPC/TFCI/FBI)	6/2/2/0
Number of bits in the DPDCH per each slot	10
Spreading factor (DPDCH)	256
Spreading factor (DPCCH)	256
Modulation	HPSK
3dB bandwidth	3.84MHz
Shaping filter	Root raised cosine (roll off 0.22)
Power amplifier	Ideal
Propagation channel	AWGN

FIG. 26A



FIG. 26B


2.5x10^-4
2.0x10^-4
1.5x10^-4
1.0x10^-4
5.0x10^-5
0.0
Prob. of a false alarm
AWGN
Uplink DPCCH with N_pilot = 6
Normalized threshold = 0.6
-4
-2
0
2
4
Eb/No (dB)

FIG. 26C

FIG. 27

Item	15 slots	16 slots
No. of slots per frame	15	16
No. of N_{pilot} per slot	1) Uplink 2, 3, 4, 5, 6, 7, 8 2) Downlink 2, 4, 8, 16	1) Uplink 5, 6, 7, 8 2) Downlink 4, 8, 16, 32
Slot-Slot possible ?	Yes	Yes
Double-check possible?	Yes (Two correltors such as auto-correlator and cross-correlator are used)	Yes (Auto-correlator)
Single frame synchronization word can be used for frame synchronization ?	Yes since a frame synchronization word has –1 out-of-phase coefficients.	May not be feasible because of +4 or –4 out-of-phase coefficients. The +4 or –4 side lobes can be zero through some particular processing using preferred pair of frame synchronization words.
Frame syncrhonzation words	All 8 frame synchronization words are made out of a single PN code	All 8 frame synchronization words have +4 or –4 out-of-phase coefficient and minus peak value at middle shift.
Autocorrelation function	$R(\tau)=15$, $\tau=0$ $R(\tau)=-1$, elsewhere	$R(\tau)=16$, $\tau=0$ $R(\tau)=-16$, $\tau=8$ $R(\tau)=0,+4$, or -4, elsewhere



Figure 28A



Figure 28B

FIG. 29A



FIG. 29B



FIG. 30A



FIG. 30B



FIG. 31


100
First matched filter
Rc1(j)
A
C1,0 C1,1 C1,2 ··· C1,2ℓ C1,0 ···
C1,2ℓ C1,2 C1,1 C1,0
Rc1(j)+Rc2(j)
=2Rc1(j)
C
110
Second matched filter
Rc2(j)
B
C2,0 C2,1 C2,2 ··· C2,2ℓ C2,0 ···
C2,2ℓ C2,2 C2,1 C2,0
120
Third matched filter
Rc1,c2(j)
=−Rc1(j+ℓ+1)
D
C1,2ℓ C1,2 C1,1 C1,0
−2Rc1(j+ℓ+1)
F
130
Fourth matched filter
Rc2,c1(j+1)
=−Rc2(j+ℓ+1)
E
C2,2ℓ−1 C2,1 C2,0 C2,2ℓ

FIG. 32A



FIG. 32B



FIG. 33A



FIG. 33B



FIG. 34


I Channel of symbol#
C1,0 C1,1 C1,2 ··· C1,14 C1,0 ···
Q Channel of symbol#
C2,0 C2,1 C2,2 ··· C2,14 C2,0 ···
200
Firtst matched filter
210
Second matched filter
220
Third matched filter
230
Fourth matched filter
A
B
C
D
E
F
C1,14 C1,2 C1,1 C1,0
C2,14 C2,2 C2,1 C2,0
C1,14 C1,2 C1,1 C1,0
C2,13 C2,1 C2,0 C2,14

FIG. 35A



FIG. 35B



FIG. 36A



FIG. 36B



FIG.37



FIG. 38


100'
First correlator
Rc1(τ)
C1 (t+τ)
C1(t)
Rc1(τ)+Rc2(τ)
110'
Second correlator
Rc2(τ)
C2 (t+τ)
C2(t)
Rc1(τ)+Rc2(τ)
+Rc1,c2(τ)
+Rc2,c1 (τ+1)
120'
Third correlator
Rc1,c2(τ)
C1(t)
Rc1,c2(τ)+Rc2,c1(τ+1)
130'
Fourth correlator
Rc2,c1 (τ+1)
C2(t-1)

FIG. 39A



FIG. 39B



FIG. 40A



FIG. 40B



FIG. 41A



FIG. 41B